



CHARLATAN TRACK 100
CHARLATAN TRACK 85
CHARLATAN TRACK 65



CHARLATAN TRACK 100




CHARLATAN

A trackspot for our 230V track rail, Charlatan is a light to keep close. Its pure, unpretentious and timeless design makes Charlatan an easy choice for several kinds of spaces. Thin, adjustable bracket, flexibility of 360° horizontal and 90° vertical, deeper recessed positioning of reflector for visual comfort, there's no compromise on quality or technology. Choose between 3 diameter sizes, 3 beam angles, 4 colour temperatures, 3 lumen packages and 2 dimming systems, and let the show begin.

more info? supermodular.com/en/charlatan

Charlatan track 65 LED GI



1X LED ARRAY INCL. 13.8W

! MUST BE COMBINED WITH REFLECTOR

TRACK COMPONENTS > SEE PAGES 508-511

OPTICAL ACCESSORIES

10210001	REFLECTOR Ø65 15°
10210002	REFLECTOR Ø65 25°
10210003	REFLECTOR Ø65 40°

230V

IP20

GWT
960°

0.60KG

TRAILING EDGE DIMMABLE	2700K / CRI90+	3000K / CRI90+	3500K / CRI90+	4000K / CRI90+
black struc	13110032	13110132	13110232	13110332
white struc	13110009	13110109	13110209	13110309

DALI	2700K / CRI90+	3000K / CRI90+	3500K / CRI90+	4000K / CRI90+
black struc	13110432	13110532	13110632	13110732
white struc	13110409	13110509	13110609	13110709


LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

2700K / 25° alu	1246lm / 17W
3000K / 25° alu	1329lm / 17W
3500K / 25° alu	1384lm / 17W
4000K / 25° alu	1433lm / 17W



REFLECTOR Ø65
REFLECTOR Ø85
REFLECTOR Ø100

Charlatan track 85 LED GI



1X LED ARRAY INCL. 23.8W


! MUST BE COMBINED WITH REFLECTOR

TRACK COMPONENTS > SEE PAGES 508-511

OPTICAL ACCESSORIES

10210004	REFLECTOR Ø85 15°
10210005	REFLECTOR Ø85 25°
10210006	REFLECTOR Ø85 40°

Charlatan track 100 LED GI



1X LED ARRAY INCL. 30.5W

! MUST BE COMBINED WITH REFLECTOR

TRACK COMPONENTS > SEE PAGES 508-511

OPTICAL ACCESSORIES

10210007	REFLECTOR Ø100 15°
10210008	REFLECTOR Ø100 25°
10210009	REFLECTOR Ø100 40°



TRAILING EDGE DIMMABLE	2700K / CRI90+	3000K / CRI90+	3500K / CRI90+	4000K / CRI90+
black struc	13111032	13111132	13111232	13111332
white struc	13111009	13111109	13111209	13111309

DALI	2700K / CRI90+	3000K / CRI90+	3500K / CRI90+	4000K / CRI90+
black struc	13111432	13111532	13111632	13111732
white struc	13111409	13111509	13111609	13111709

LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

2700K / 25° alu	2306lm / 27.5W
3000K / 25° alu	2543lm / 27.5W
3500K / 25° alu	2687lm / 27.5W
4000K / 25° alu	2652lm / 27.5W



TRAILING EDGE DIMMABLE	2700K / CRI90+	3000K / CRI90+	3500K / CRI90+	4000K / CRI90+
black struc	13112032	13112132	13112232	13112332
white struc	13112009	13112109	13112209	13112309

DALI	2700K / CRI90+	3000K / CRI90+	3500K / CRI90+	4000K / CRI90+
black struc	13112432	13112532	13112632	13112732
white struc	13112409	13112509	13112609	13112709

LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

2700K / 25° alu	3111lm / 34.5W
3000K / 25° alu	3409lm / 34.5W
3500K / 25° alu	3512lm / 34.5W
4000K / 25° alu	3666lm / 34.5W