


OUTDOOR SPOTLIGHT

DUAL

Low glare outdoor spotlight series with many options, suitable for architectural space.



Small



D60
D90



NARROW



MIDDLE



WIDE



SUPER WIDE

Middle



D140
D200

CRI85  4000K

CRI85  3000K

CRI93  2700K



NARROW



MIDDLE



WIDE



SUPER WIDE

Large



D300



NARROW



MIDDLE





SUPER WIDE

01 Feature



02 Option


To make more delicate light distribution




Spotlight



Body : Die-cast aluminum
H/dark gray leather finish
S/silver metallic finish
Weight : 1.2kg
Driver : Integrated
(Phase dimmable 30-100%)
Power consumption : 8.7W
Mountable in any orientation




D60




Option


RB-604S
RB-604HA
Cut hood




RB-601S
RB-601HA
Long hood



RB-607S
RB-607HA
Glare cut louver



RB-626S
RB-626HA
Lens holder



RB-610F
Spread lens



RB-613F
Diffusion lens



Spike
Customization ▶ P. 205
▶ P. 211


* Hood options can only be used individually

* One of the hood options is required for lens mounting.
* Lens options can only be used individually


Spotlight



Body : Die-cast aluminum
H/dark gray leather finish
S/silver metallic finish
Weight : 1.2kg
Driver : Integrated
(Phase dimmable 30-100%)
Power consumption : 12.6W
Mountable in any orientation




D90



Option

RB-604S
RB-604HA
Cut hood




RB-601S
RB-601HA
Long hood



RB-607S
RB-607HA
Glare cut louver



RB-626S
RB-626HA
Lens holder



RB-610F
Spread lens



RB-613F
Diffusion lens



Spike
Pole joint
Customization

P. 205
P. 211
P. 211


* Hood options can only be used individually

* One of the hood options is required for lens mounting.
* Lens options can only be used individually


Spotlight



Body : Die-cast aluminum
H/dark gray leather finish
S/silver metallic finish
Weight : 2.3kg
Driver : Integrated
(Non-dimmable)
Power consumption : 20.6W
Mountable in any orientation




D140



Option

RB-603S
RB-603HA
Cut hood




RB-600S
RB-600HA
Long hood



RB-606S
RB-606HA
Glare cut louver



RB-625S
RB-625HA
Lens holder



RB-609F
Spread lens



RB-612F
Diffusion lens



Spike
Customization ▶ P. 205
▶ P. 211


* Hood options can only be used individually

* One of the hood options is required for lens mounting.
* Lens options can only be used individually


Spotlight



Body : Die-cast aluminum
H/dark gray leather finish
S/silver metallic finish
Weight : 2.3kg
Driver : Integrated
(Non-dimmable)
Power consumption : 29.3W
Mountable in any orientation




D200




Option

RB-603S
RB-603HA
Cut hood




RB-600S
RB-600HA
Long hood



RB-606S
RB-606HA
Glare cut louver



RB-625S
RB-625HA
Lens holder



RB-609F
Spread lens



RB-612F
Diffusion lens



Spike
Pole joint
Customization

P. 205
P. 211
P. 211


* Hood options can only be used individually

* One of the hood options is required for lens mounting.
* Lens options can only be used individually


Spotlight



Body : Die-cast aluminum
H/dark gray leather finish
S/silver metallic finish
Weight : 3.5kg
Driver : Integrated
(Non-dimmable)
Power consumption : 45.9W
Mountable in any orientation



D300




Option

RB-602S
RB-602HA
Cut hood




RB-599S
RB-599HA
Long hood



RB-605S
RB-605HA
Glare cut louver



RB-624S
RB-624HA
Lens holder



RB-608F
Spread lens



RB-611F
Diffusion lens



Spike
Customization ▶ P. 205
▶ P. 211

* Hood options can only be used individually

* One of the hood options is required for lens mounting.
* Lens options can only be used individually