



THIMBLE

Design — Jeffrey Huyghe

Thimble evokes minimalism, surprise and technology all at once. Subtle curves, slightly revealing colours, high-quality lens and LED. Thimble's clean and seamless execution makes it a quiet yet sophisticated choice for high-end residential or hospitality settings. This versatile, elegant architectural downlight will bring pure form, definition and quality light to any space without stealing all the attention.


Bare essentials reveal a sophisticated design

Thimble's composition emphasizes that elegance lies in pure form. A minimalistic, curved design, with a deep-recessed and glare-free light source. Thimble's clean, ultra-thin flange or trimless execution will go unseen in the quietest of spaces.


A low-key execution with a little more

For light expressions that should be discreet but show that little extra, designers can find the perfect compromise with Thimble's long list of anodized colours. This desired, enhancing effect can be created on any ceiling application.

Thimble 74 IP55 LED GE



1X LED ARRAY INCL. 8.1W



DRIVER > SEE PRODUCT PAGE ON WEBSITE

CONNECTED > SEE GOODIES

INSTALLATION ACCESSORIES

11624030	CONBOX 140X250X100X210
11624130	CONBOX 140X400X100X210
12292630	GYPSUM FIBREBOARD 150X150
12292730	GYPSUM FIBREBOARD 300X150
11624430	CONCRETE RING Ø70 STAND CONCRETE BOXES



	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11620081	11620181
ano bronze	11620082	11620182
ano champagne	11620041	11620141
ano gold	11620042	11620142
ano silver bronze	11620084	11620184
black struc	11620032	11620132
white struc	11620009	11620109



LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

	350mA	500mA
2700K / 30°	483lm / 5.6W	667lm / 8.1W
3000K / 30°	483lm / 5.6W	667lm / 8.1W

INSTALLATION ACCESSORIES FOR PLASTERED FALSE CEILINGS		INSTALLATION ACCESSORIES FOR STANDARD CONCRETE BOXES	
SINGLE THIMBLE 	PLASTERED FINISH	SINGLE THIMBLE 	EXPOSED CONCRETE FINISH
	THIMBLE 70 TRIMLESS		THIMBLE 74 THIMBLE 70 TRIMLESS
	11624330 RECESSED RING Ø70 		11624430 CONCRETE RING Ø70 FOR STANDARD CONCRETE BOXES 
			

REQUIRED PARTS BASED ON CEILING TYPE

Thimble 70 trimless IP55 LED GE



1X LED ARRAY INCL. 8.1W

! INSTALLATION ACCESSORIES REQUIRED

DRIVER > SEE PRODUCT PAGE ON WEBSITE

CONNECTED > SEE GOODIES

INSTALLATION ACCESSORIES

11624030 CONBOX 140X250X100X210

11624130 CONBOX 140X400X100X210

12292430 GYPKITTRIMLESS 150X150 - Ø70

12292530 GYPKITTRIMLESS 300X150 - 2X Ø70

11624230 CONCRETE KIT 150X150 - Ø70

12292630 GYPSUM FIBREBOARD 150X150

12292730 GYPSUM FIBREBOARD 300X150

11624330 RECESSED RING Ø70

11624430 CONCRETE RING Ø70 STAND CONCRETE BOXES



	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11622081	11622181
ano bronze	11622082	11622182
ano champagne	11622041	11622141
ano gold	11622042	11622142
ano silver bronze	11622084	11622184
black struc	11622032	11622132
white struc	11622009	11622109


LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

	350mA	500mA
2700K / 30°	483lm / 5.6W	667lm / 8.1W
3000K / 30°	483lm / 5.6W	667lm / 8.1W


INSTALLATION ACCESSORIES FOR STRUCTURAL CEILINGS (CONCRETE, STALTON, ...)

SINGLE THIMBLE	11624030 CONBOX 140X250X100X210	+	PLASTERED FINISH		EXPOSED CONCRETE FINISH
			THIMBLE 74	THIMBLE 70 TRIMLESS	THIMBLE 74 THIMBLE 70 TRIMLESS
		+	12292630 GYPSUM FIBREBOARD 150X150	12292430 GYPKIT TRIMLESS 150X150 - Ø70	11624230 CONCRETE KIT 150X150 - Ø70
DOUBLE THIMBLE	11624130 CONBOX 140X400X100X210	+	PLASTERED FINISH		
			THIMBLE 74	THIMBLE 70 TRIMLESS	
		+	12292730 GYPSUM FIBREBOARD 300X150	12292530 GYPKIT TRIMLESS 300X150 - 2X Ø70	

Thimble 74 adjustable LED GE



1X LED ARRAY INCL. 8.1W



DRIVER > SEE PRODUCT PAGE ON WEBSITE

CONNECTED > SEE GOODIES

INSTALLATION ACCESSORIES

11624030	CONBOX 140X250X100X210
11624130	CONBOX 140X400X100X210
12292630	GYP SUM FIBREBOARD 150X150
12292730	GYP SUM FIBREBOARD 300X150
11624430	CONCRETE RING Ø70 STAND CONCRETE BOXES




	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11621081	11621181
ano bronze	11621082	11621182
ano champagne	11621041	11621141
ano gold	11621042	11621142
ano silver bronze	11621084	11621184
black struc	11621032	11621132
white struc	11621009	11621109

LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

	350mA	500mA
2700K / 30°	483lm / 5.6W	667lm / 8.1W
3000K / 30°	483lm / 5.6W	667lm / 8.1W

INSTALLATION ACCESSORIES FOR PLASTERED FALSE CEILINGS		INSTALLATION ACCESSORIES FOR STANDARD CONCRETE BOXES	
SINGLE THIMBLE	PLASTERED FINISH	SINGLE THIMBLE	EXPOSED CONCRETE FINISH
	THIMBLE 70 TRIMLESS		THIMBLE 74 THIMBLE 70 TRIMLESS
	11624330 RECESSED RING Ø70		11624430 CONCRETE RING Ø70 FOR STANDARD CONCRETE BOXES
	 ø 111 ø 95 h 110		 ø 111 ø 86 h 110

Thimble 70 trimless adjustable LED GE



1X LED ARRAY INCL. 8.1W

! INSTALLATION ACCESSORIES REQUIRED

DRIVER > SEE PRODUCT PAGE ON WEBSITE

CONNECTED > SEE GOODIES

INSTALLATION ACCESSORIES

11624030 CONBOX 140X250X100X210

11624130 CONBOX 140X400X100X210

12292430 GYPKITTRIMLESS 150X150 - Ø70

12292530 GYPKITTRIMLESS 300X150 - 2X Ø70


11624230 CONCRETE KIT 150X150 - Ø70

12292630 GYPSUM FIBREBOARD 150X150

12292730 GYPSUM FIBREBOARD 300X150

11624330 RECESSED RING Ø70

11624430 CONCRETE RING Ø70 STAND CONCRETE BOXES



	2700K / CRI90+		3000K / CRI90+	
	30°		30°	
ano black	11623081		11623181	
ano bronze	11623082		11623182	
ano champagne	11623041		11623141	
ano gold	11623042		11623142	
ano silver bronze	11623084		11623184	
black struc	11623032		11623132	
white struc	11623009		11623109	

LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

	350mA	500mA
2700K / 30°	483lm / 5.6W	667lm / 8.1W
3000K / 30°	483lm / 5.6W	667lm / 8.1W

INSTALLATION ACCESSORIES FOR STRUCTURAL CEILINGS (CONCRETE, STALTON, ...)

SINGLE THIMBLE	11624030 CONBOX 140X250X100X210		PLASTERED FINISH		EXPOSED CONCRETE FINISH
			THIMBLE 74	THIMBLE 70 TRIMLESS	THIMBLE 74 THIMBLE 70 TRIMLESS
		+			
			12292630 GYPSUM FIBREBOARD 150X150	12292430 GYPKIT TRIMLESS 150X150 - Ø70	11624230 CONCRETE KIT 150X150 - Ø70
DOUBLE THIMBLE	11624130 CONBOX 140X400X100X210		PLASTERED FINISH		
			THIMBLE 74	THIMBLE 70 TRIMLESS	
		+			
			12292730 GYPSUM FIBREBOARD 300X150	12292530 GYPKIT TRIMLESS 300X150 - 2X Ø70	