




SLD50

INSTALLATION INSTRUCTIONS


SLD50- general installation manual


93560005_93560009_93550032

open




eyeball






fix - suspension




see instruction manual

fix - recessed (trimless)




see instruction manual

fix - ceiling




screws are not included

fix - wall





see instruction manual

connection



N	BLUE
L	BROWN
	YELLOW/GREEN
DIM +	RED
DIM -	BLACK









SLD50 connection 180°

93560052_93560058



SLD50 connection 90°


93560053_93560059



	The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person				220-230V 50-60Hz		1-10V	PUSH	DALI		CE
--	--	--	--	--	---------------------	--	-------	------	------	--	----


SLD50 recessed bracket trimless

93560056



SLD50 recessed bracket

93560057




SLD50 flange - general installation manual

93560105_93560109_93560132


open



The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person



eyeball






DO NOT TOUCH LED




DO NOT TOUCH REFLECTOR

fix - recessed (flange)




see instruction manual


connection




N	BLUE
L	BROWN
	YELLOW/GREEN
DIM +	RED
DIM -	BLACK



9mm
0,5 - 2,5mm²









SLD50 lateral wall brack

93560705_93560709_93560732

screws are not included



SLD50 suspension

93560805_93560809_93560832

