



MINUDE

With our miniaturized spotlight, you'll simply need our Pista track rail system for your endless choices. Minude as a 48V track spot, or Minude as an intimate 48V suspended track spot. And a trail of Minudes on single and multiple rails, anywhere along the way. Also available in a semi-recessed application for walls and ceilings, and as a stand-alone pendant or combined with our Kompas ceiling base.

Minude for Modupoint LED

If you love Minude, and are open to something other than a track, check out Minude for Modupoint LED. A plug & play version for our redesigned Modupoint ceiling base, Minude can be clicked-in directly into the base, or extended with extender sticks, or even as a suspended variant.




MINUDE 45 ADJUSTABLE TRACK
PISTA TRACK LINEAR LED
PISTA TRACK UP/DOWN PROFILE



MINUDE 45 ADJUSTABLE TRACK 2X
PISTA TRACK RECESSED FLANGE PROFILE

Minude 45 adjustable track 48V 1x LED GI



1X LED ARRAY INCL. 8.1W

! ALL WHITE PISTA 48V SPOTS HAVE A WHITE 48V TRACK ADAPTER.
! ALL OTHER COLOURS HAVE A BLACK ADAPTER. DEVIATION FROM THIS IS ONLY POSSIBLE ON REQUEST.

TRACK 48V COMPONENTS > SEE PAGES 462-467



 Friends of hue  48V  IP20 GWT 960° 0.38KG 		
1-10V	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11460081	11460281
ano bronze	11460082	11460282
ano champagne	11460041	11460241
ano silver bronze	11460084	11460284
black struc	11460032	11460232
white struc	11460009	11460209

DALI	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11460181	11460381
ano bronze	11460182	11460382
ano champagne	11460141	11460341
ano silver bronze	11460184	11460384
black struc	11460132	11460332
white struc	11460109	11460309

LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc)

2700K / 30°	686lm / 10.5W
3000K / 30°	686lm / 10.5W

Minude 45 adjustable track 48V 2x LED GI



2X LED ARRAY INCL. 8.1W

! ALL WHITE PISTA 48V SPOTS HAVE A WHITE 48V TRACK ADAPTER.
! ALL OTHER COLOURS HAVE A BLACK ADAPTER. DEVIATION FROM THIS IS ONLY POSSIBLE ON REQUEST.

TRACK 48V COMPONENTS > SEE PAGES 462-467

 Friends of hue  48V  IP20 GWT 960° 0.57KG 		
1-10V	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11460481	11460681
ano bronze	11460482	11460682
ano champagne	11460441	11460641
ano silver bronze	11460484	11460684
black struc	11460432	11460632
white struc	11460409	11460609

DALI	2700K / CRI90+	3000K / CRI90+
	30°	30°
ano black	11460581	11460781
ano bronze	11460582	11460782
ano champagne	11460541	11460741
ano silver bronze	11460584	11460784
black struc	11460532	11460732
white struc	11460509	11460709

LUMINAIRE OUTPUT & POWER CONSUMPTION
(white struc - lumen output per lamp module)

2700K / 30°	686lm / 18.5W
3000K / 30°	686lm / 18.5W