



cloud
for shallow track 48v
origin natural
ultra output

circular product

cloud for shallow track 48v

origin natural ultra output



circular product

erluna

cloud for shallow track 48v


origin natural ultra output

When an old Orluna light comes to the end of its life, or is faulty, instead of throwing it away, we kindly ask you to return it to us.

1

The fully repaired and tested product enters back into our stock –with a brand new warranty.

3



The 'new' light fitting is despatched to a new customer.

4

Once we've received the unwanted or faulty fitting, it's dismantled, repaired and renewed with a new LED and PCB.

2



circular product

orluna

circular product

DRIVER	Lighting	Control
Binning SDCM (Hot CRI (typ)(R9) TM30 Rf Rg Lifetime (TM21)	2 98 (99) Rf 97.7 Rg 100.4 L90 B5 50,000hrs (inc driver)	
Protocols Dim to Dark	DALI 0.1% Lux	

Engine type	Bezel	Colour Temp	Driver	Beam Width	Bezel Colour	Baffle Colour	Options
NU	-CSTW-	27	D	M	- W -	BB	54 H
	CSTW / White CSTB / Black CSTX / Other	27 / 2700K 30 / 3000K *40 / 4000K	D / DALI	U / Ultra S / Spot N / Narrow M / Medium W / Wide F / Flood H / Wash	W / White RAL 9010 D / White RAL 9003 B / Black RAL 9005 C / Other RAL A / Black Anodised J / Antique Bronze G / Polished Brass K / Brushed Chrome L / Polished Chrome F / Satin Grey P / Brushed Brass Z / Other Metallic	BB / Black 9005 WB / White 9010 DB / White 9003 CB / Other RAL AB / Black Anodised JB / Antique Bronze MB / Polished Brass KB / Brushed Chrome LB / Polished Chrome FB / Satin Grey PB / Brushed Brass ZB / Other Metallic	54 / IP54 H / Honeycomb N / Frosted Lens

orluna

10/03/23