



B4 FOURflex

Flexible neon LED Series









B4 FOURflex - IP67 Flexible LED Strip

- IP67, UV stabilised Silicone Flexible LED, 5 Year warranty
- Factory sealed front, side or bottom entry injection moulded feeds
- Available in both Horizontal and Vertical bending options
- 2200K, 2700K, 3000K, 3500K, 4000K, RGB, RGBW, Pixel Chasing & Tunable white
- Custom mounting accessories for straight and curved applications
- Supplied with remote 24VDC (Non-Dim, 1-10V, DMX or DALI) power supply









B4 FOURflex

Flexible neon LED Series

B4-SF15 - horizontal bend	B4-SF21 - horizontal bend	B4-SF17 - horizontal bend	B4-FS09 - horizontal bend
			
			
Colour / CCT 27K / 30K / 35K / 40K / RGBW / TW Wattages 12W 60LED up to 321lm @ 4K 15W 84LED up to 735lm @ 4K 17W 72LED RGBW up to 289lm @ RGBW 15W 120LED TW 2700K-5700K up to 240lm	Colour / CCT 27K / 30K / 35K / 40K / RGBW / TW Wattages 12W 60LED up to 376lm @ 4K 15W 72LED up to 540lm @ 4K 17W 72LED RGBW up to 290lm @ RGBW 15W 120LED TW 2700K-5700K up to 237lm	Colour / CCT 27K / 30K / 35K / 40K Wattages 10W 120LED up to 411lm @ 4K	Colour / CCT 27K / 30K / 35K / 40K Wattages 5W 70LED up to 160lm @ 4K 10W 120LED up to 260lm @ 4K
B4-SF08 - horizontal bend	B4-SF16 - vertical bend	B4-SF10 - vertical bend	B4-SF06 - vertical bend
			
			
Colour / CCT 27K / 30K / 35K / 40K Wattages 10W 120LED up to 480lm @ 4K	Colour / CCT 27K / 30K / 35K / 40K / RGBW / TW Wattages 10W 144LED up to 390lm @ 4K 15W 84LED up to 770lm @ 4K 17W 72LED RGBW up to 397lm @ RGBW 15W 120LED TW 2700K-5700K up to 410lm	Colour / CCT 27K / 30K / 35K / 40K Wattages 10W 144LED up to 500lm @ 4K	Colour / CCT 27K / 30K / 35K / 40K Wattages 10W 120LED up to 520lm @ 4K


















B4 FOURflex

Flexible neon LED Series

horizontal bending - minimum diameter		vertical bending - minimum diameter	
			
			
B - bottom feed		S - side feed	
			
D - direct feed		L - link	
			

B4 FOURflex















Flexible neon LED Series

B4-SF15 - horizontal bend	B4-SF21 - horizontal bend	B4-SF17 - horizontal bend	B4-SF09 - horizontal bend
			
ALC15	ALC21	ALC17	ALC09
Dimension 	Dimension 	Dimension 	Dimension 
			
ALC15-FLX	ALC21-FLX	ALC17-FLX	ALC09-FLX
Dimension 	Dimension 	Dimension 	Dimension 
			
ALC15-AD	ALC21-AD	ALC17-AD	
Dimension 	Dimension 	Dimension 	

- Aluminium channel available in white / black and anodised silver. Special colours on request
- Channel supplied in 1m & 2m lengths
- AD = Anti drop clip, recommended for down facing installation. FLX = flexible profile slotted on one side to allow bending on site.

B4 FOURflex

Flexible neon LED Series

B4-SF08 - horizontal bend	B4-SF16 - vertical bend	B4-SF10 - vertical bend	B4-SF06 - vertical bend
 ALC08	 ALC16	 ALC10	 ALC09
Dimension 	Dimension 	Dimension 	Dimension 
	 ALC16-FLX	 ALC10-FLX	 ALC09-FLX
	Dimension 	Dimension 	Dimension 
	 ALC16-AD		
	Dimension 		

- Aluminium channel available in white / black and anodised silver. Special colours on request
- Channel supplied in 1m & 2m lengths
- AD = Anti drop clip, recommended for down facing installation. FLX = flexible profile slotted on one side to allow bending on site.