

B4 FOURdark

Miniature Recessed Downlight Range












B4 FOURdark

- lense optic available in 24°, 40° & 55° <19 UGR
- Various wattages 2W, 4W, 7W, 9W, 11W & 22W LED modules
- Available in white & black matt textured finishes or custom RAL colours with black, gold or white reflectors
- 2700K, 3000K, 4000K
- 6 Sizes available in 1 to 10 cell versions
- Estimated lifetime of L80 / 50,000h
- Remote constant current drivers available in Non-Dim, 1-10V, DMX, DALI or Casambi



B4 FOURdark

Miniature Recessed Downlight Range

B4-FDF1	B4-FDF2	B4-FDF3	B4-FDF4
			
			
Colour / CCT 27K / 30K / 40K Wattages 2w up to 160lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector	Colour / CCT 27K / 30K / 40K Wattages 4W up to 320lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector	Colour / CCT 27K / 30K / 40K Wattages 7W up to 550lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector	Colour / CCT 27K / 30K / 40K Wattages 9W up to 700lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector
B4-FDF5	B4-FDF10	B4-FDA5 (Adjustable)	B4-FDA10 (Adjustable)
			
			
Colour / CCT 27K / 30K / 40K Wattages 11W up to 850lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector	Colour / CCT 27K / 30K / 40K Wattages 22W up to 1700lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector	Colour / CCT 27K / 30K / 40K Wattages 11W up to 850lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector	Colour / CCT 27K / 30K / 40K Wattages 22W up to 1700lm @ 4K (delivered) 90CRI 3-step MacAdam 24°, 40°, 55° Lens options Accessories - white, black or gold reflector

B4 FOURdark

Miniature Recessed Downlight Range

B4 FOURdark - (example specification text)

B4 FOURdark F5 LED fixed downlight 11w 700mA 15fV IP20 white trim with black reflector, 40° flood beam, 3000k 90 CRI c/w remote Dali driver

B4-FD	F	5	11W	40	930	WB	DALI
B4-FD	Version	Size	Wattage	Beam	Colour temp	Finish	Control
F - Fixed A - Adjustable <i>*Adjustable only available 5 & 10 Cell</i>	1 - 1 Cell	2W - 2W (1 Cell)	24 - 24° Lens	927 - 2700K warm white	BB - Black /Black	ND - Non dim	
	2 - 2 Cell	4W - 4W (2 Cell)	40 - 40° Lens	930 - 3000K warm white	WB - White / Black	DIM - 1-10v	
	3 - 3 Cell	7W - 7W (3 Cell)	55 - 55° Lens & film	940 - 4000K cool white	WW - White / White	DALI - Dali	
	4 - 4 Cell (2x2) sq	9W - 9W (4 Cell)			BG - Black / Gold	DMX - DMX	
	5 - 5 Cell	11W - 11W (5 Cell)			WG - White / Gold	CAS - Casambi	
	10 - 10 Cell	22W - 22W (10 Cell)					

