

belux twilight360



belux twilight360

Samantha & John Ritschl-Lassoudry, 2002

The belux twilight 360 unites brilliant room and mood lighting in a clever way. While the indirect, powerful LED provides for a great deal of indirect room light, the luminaire body is brightened by additional light sources and thus provides for the typical twilight characteristic.

With Wireless Dim the belux twilight 360 can be controlled wirelessly via Smartphone, Tablet or radio switch using the free Casambi app.

Dim to Warm utilises the natural understanding that light becomes warmer when dimmed.





belux twilight360






twilight, aluminium anodized





twilight, black powder coated



twilight, bronze



belux twilight 360



twilight 360 standing light

Material: PMMA, aluminium, with black power cable

twilight 360 standing light

Material: PMMA (smoke black mass coloured),aluminium, with black power cable

		CRI	CCT	Wattage	Lumen
①	LED	CRI80+	2700K	69W	7810lm
②	LED	CRI80+	1800-3000K	64W ⑥	7120lm ⑥

Colour ①	Basic code	Light source	8027 2700K	DTW Dim to warm (3000K-1800K) ②	TD Dimmable, cable integrated ③	DD Dimmable DALI, on site ④	WD Wireless dim ⑤	belux express	Order number	EUR excl. VAT
AL	<u>TWI360-11</u>	①	●		●		●	• TWI360-11-8027-TD TWI360-11-8027-WD		1855.00 2115.00
	<u>TWI360-11</u>	②		●	●				TWI360-11-DTW	1855.00
	<u>TWI360-11</u>	②		●			●		TWI360-11-DTW-WD	2115.00
	<u>TWI360-14</u>	②	●	●		●			TWI360-14-DTW-DD TWI360-14-8027-DD	1855.00 1855.00
BR	<u>TWI360-19</u>	①	●		●		●	• TWI360-19-8027-TD TWI360-19-8027-WD		1855.00 2115.00
	<u>TWI360-19</u>	②		●	●				TWI360-19-DTW	1855.00
	<u>TWI360-19</u>	②		●			●		TWI360-19-DTW-WD	2115.00
	<u>TWI360-22</u>	②	●	●		●			TWI360-22-DTW-DD TWI360-22-8027-DD	1855.00 1855.00
SW	<u>TWI360-23</u>	①	●		●		●	• TWI360-23-8027-TD TWI360-23-8027-WD		2015.00 2275.00
	<u>TWI360-23</u>	②		●	●				TWI360-23-DTW	2015.00
	<u>TWI360-23</u>	②		●			●		TWI360-23-DTW-WD	2275.00
	<u>TWI360-26</u>	②	●	●		●			TWI360-26-DTW-DD TWI360-26-8027-DD	2015.00 2015.00

REMARKS

General: The direct and indirect light can be switched and dimmed separately

① AL = aluminium anodized, BR = dark bronze anodized SW = black powder coated

② Version Touchdim (TD): With cable-integrated switch housing for independent dimming of direct and indirect light.



③ Version DALI (DD): With two DALI addresses for direct and indirect light. Supports the DALI device type 6. Open cable end without plug.

④ Wireless version (WD): Control via Casambi app or via wireless "Casambi Xpress Switch".

⑤ Version Dim to Warm (DTW): When dimming the lamp, the proportion of redness increases (see diagram)

⑥ Calculated values, measured data will be published soon at belux.com/twilight

⑥ IP 20
LED A – A++





belux offices

belux HQ Neufeldweg 6 5103 Möriken Switzerland T +41 61 316 74 01 belux@belux.com	belux Middle East Dubai Airport Free Zone Area (DAFZA) West Wing 6 (W6) Office 6 WA 420 P.O. Box 293845 Dubai United Arab Emirates T +971 4 6091 355 middle.east@belux.com	belux The Netherlands Danzigerbocht 39a 1013 AM Amsterdam The Netherlands T +31 (0)2 02 153 333 the.netherlands@belux.com
belux Belgium Industrieweg Noord 1152 3660 Oudsbergen Belgium T +32 89 81 97 80 belgium@belux.com	belux North America & Canada 20 Murray Hill Parkway Suite 180 East Rutherford, NJ 07073 USA T +1 516 470 9522 usa@belux.com	belux Turkey Sehit Murat Demirli Cad. Resadiye Yolu 76 Alemdag-Ümraniye 34794 Istanbul Turkey T +90 216 430 86 00 turkey@belux.com
belux Austria austria@belux.com	belux Poland T +48 504 788 355 Poland poland@belux.com	belux UK 67 Maltings Place 169 Tower Bridge Road London SE1 3LJ United Kingdom T +44 (0)20 7740 2112 uk@belux.com
belux China Rm 208, Building 5, N° 33 Lane 672, Changle Road JingAn District Shanghai P.R. China china@belux.com	belux South East Asia singapore@belux.com	
belux France 5, rue d'Aboukir 75002 Paris France T +33 1 44 50 53 54 france@belux.com	belux Spain Ángel Guimera 7-9 local C Barcelona 08017 Spain T +34 600 462 551 spain@belux.com	
belux Germany Brühler Straße 11-13 50968 Cologne Germany Tel +49 221 937 22 0 germany@belux.com		
belux Italy Via V. Forcella 5 20144 Milano Italy T +39 02 89 42 08 46 italy@belux.com		