


65


# Adjustable

Recessed Downlight Adjustable




Frame : Aluminum (matt white)  
Cone : Aluminum (mirror finish/polished matt finish/matt white)  
Weight : 0.2kg (SUPER WIDE : 0.1kg)  
Driver : Remote (sold separately)

\*Tilt angle is 25° when used with options




## 1000TYPE




### Remote Driver

GRX466N-T



GRX479N-T



### Option

- Trimless frame ▶ P.206
- Square frame ▶ P.206
- Cylinder Case ▶ P.206
- SRB-008C Diffusion lens
- SRB-009C Spread lens
- SRB-010B Honeycomb louver

\* Options can only be used individually.

65



## Adjustable

Recessed Downlight Adjustable




Frame : Aluminum (matt white)  
Cone : Aluminum (mirror finish/polished matt finish/matt white)  
Weight : 0.2kg  
Driver : Remote (sold separately)

\*Tilt angle is 25° when used with options


1400<sub>TYPE</sub>

## Remote Driver

## GRX467N-T



## GRX480N-T



## Option


- Trimless frame ▶ P.206
- Square frame ▶ P.206
- Cylinder Case ▶ P.206
- SRB-008C Diffusion lens
- SRB-009C Spread lens
- SRB-010B Honeycomb louver

\* Options can only be used individually.

65


# Adjustable

Recessed Downlight Adjustable




Frame : Aluminum (matt white)  
Cone : Aluminum (mirror finish/polished matt finish/matt white)  
Weight : 0.2kg  
Driver : Remote (sold separately)

\*Tilt angle is 25° when used with options




## 1800<sub>TYPE</sub>




### Remote Driver

GRX468N-T



GRX481N-T



### Option

- Trimless frame ▶ P.206
- Square frame ▶ P.206
- Cylinder Case ▶ P.206
- SRB-008C Diffusion lens
- SRB-009C Spread lens
- SRB-010B Honeycomb louver

\* Options can only be used individually.