


85


Adjustable

Recessed Downlight Adjustable




Frame : Aluminum (matt white)
Cone : Aluminum (mirror finish/polished matt finish/matt white)
Weight : 0.2kg
Driver : Remote (sold separately)

*Tilt angle is 25° when used with options




1050_{TYPE}




Remote Driver

GRX466N-T



GRX479N-T



Option

- Trimless frame ▶ P.206
- Cylinder Case ▶ P.206
- GRB-814C Diffusion lens
- GRB-815C Spread lens
- GRB-816B Honeycomb louver


* Options can only be used individually.

Standard | Flat Pinhole | Ceiling Downlight | TUNABLE WHITE | ACCORD | GENERAL | Ceiling Downlight | GYRO / MR16 | SPOTLIGHT | GLARE-LESS | Cylinder Spotlight | syndie | Tunable Strip | LINEAR17/32 | L series | OUTDOOR SPOTLIGHT | DUAL | MINISO | GLARE-LESS | syndie GENERAL | IP44 DOWNLIGHT

85



Adjustable

Recessed Downlight Adjustable



Frame : Aluminum (matt white)
Cone : Aluminum (mirror finish/polished matt finish/matt white)
Weight : 0.2kg
Driver : Remote (sold separately)

*Tilt angle is 25° when used with options

1500_{TYPE}

Remote Driver

GRX467N-T

Non-dimmable 220-240V 13.7W 0.1kg



GRX480N-T

0-10V 220-240V 13.6W 0.2kg



Option



Trimless frame
▶ P.206



Cylinder Case
▶ P.206



GRB-814C
Diffusion lens



GRB-815C
Spread lens




GRB-816B
Honeycomb louver

* Options can only be used individually.

85


Adjustable

Recessed Downlight Adjustable




Frame : Aluminum (matt white)
Cone : Aluminum (mirror finish/polished matt finish/matt white)
Weight : 0.4kg (SUPER WIDE : 0.3kg)
Driver : Remote (sold separately)

*Tilt angle is 25° when used with options




2000TYPE




Remote Driver

GRX468N-T



GRX481N-T



Option


- Trimless frame
▶ P.206
- Cylinder Case
▶ P.206
- GRB-814C
Diffusion lens
- GRB-815C
Spread lens
- GRB-816B
Honeycomb louver

* Options can only be used individually.

85



Adjustable

Recessed Downlight Adjustable



Frame : Aluminum (matt white)
Cone : Aluminum (mirror finish/polished matt finish/matt white)
Weight : 0.5kg (SUPER WIDE : 0.4kg)
Driver : Remote (sold separately)

*Tilt angle is 25° when used with options

2500_{TYPE}

Remote Driver

GRX469N-T

Non dimmable 220-240V 27.7W 0.2kg



GRX482N-T

0-10V dimmable 220-240V 28.5W 0.2kg



Option



Trimless frame
▶ P.206



Cylinder Case
▶ P.206



GRB-814C
Diffusion lens



GRB-815C
Spread lens



GRB-816B
Honeycomb louver

* Options can only be used individually.