




Date
Customer
Project
Type

Track 48V High Profile Suspended




Specifications

Material	Aluminium
Lamp Included	No
Number of Light Sources	0
Light Direction	Down
Input Voltage	48Vdc
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Mounting	Suspended
Adjustability	Not Applicable
Primary Colour & Primary Finish	White / Black Structure / Champagne Brushed Anodised / Bronze Brushed Anodised
Gross weight (g)	1474.0 p/m



HIGH SUSPENDED




LED Driver Constant Voltage 48V Surface (For Suspended Mounting) 100W

134534XX

LED Driver Constant Voltage 48V Surface (For Suspended Mounting) 150W

134189XX

Or make connection with remote LED driver 48V



XX denotes the color finish

09 = White Structure


32 = Black Structure

41 = Champagne Anodised

82 = Bronze Anodised


1a — straight line configuration

HIGH SURFACE PROFILE




+


UP/DOWN
SUSPENSION CABLE



SUSPENSION HINGE




POWER FEED CABLE +
CONNECTION BOX




- Choose track length (1m, 2m or 3m)
- Number of suspensions: every 1m and minimum 2 per track
- *Optional: twin suspensions to combine 2 tracks*

POWER FEED LEFT




POWER FEED RIGHT




- Power feed left or right
- Left or right does not matter if the power feed is used in the middle of the track

ENDPLATE



- Set of 2

180° CONNECTION




- *Optional: if you want to connect several tracks*


STRAIGHT LINE CONFIGURATION | HIGH SUSPENDED

13455609	Track 48V High Profile Surface 1000 White Structure
13455632	Track 48V High Profile Surface 1000 Black Structure
13455709	Track 48V High Profile Surface 2000 White Structure
13455732	Track 48V High Profile Surface 2000 Black Structure
13455741	Track 48V High Profile Surface 2000 Champagne Brushed Anodised
13455782	Track 48V High Profile Surface 2000 Bronze Brushed Anodised
13455809	Track 48V High Profile Surface 3000 White Structure
13455832	Track 48V High Profile Surface 3000 Black Structure
13455841	Track 48V High Profile Surface 3000 Champagne Brushed Anodised
13455882	Track 48V High Profile Surface 3000 Bronze Brushed Anodised
12360709	Track 48V High Suspension Cable Up/Down 4000 White Structure
12360732	Track 48V High Suspension Cable Up/Down 4000 Black Structure
13419809	Track 48V Suspension Hinge White Structure
13419832	Track 48V Suspension Hinge Black Structure
13410809	Track 48V Power Feed Left White Structure
13410832	Track 48V Power Feed Left Black Structure
13410909	Track 48V Power Feed Right White Structure
13410932	Track 48V Power Feed Right Black Structure
12360609	Track 48V High Endplate (2) White Structure
12360632	Track 48V High Endplate (2) Black Structure
12360617	Track 48V High Endplate (2) Champagne Brushed
12360618	Track 48V High Endplate (2) Bronze Brushed
13419709	Track 48V High Connection 180° Electrical/Mechanical White Structure
13419732	Track 48V High Connection 180° Electrical/Mechanical Black Structure
13411509	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 White Structure
13411532	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 Black Structure

1b — configuration with 90° connection



- Choose track length (1m, 2m or 3m)
- Number of suspensions: every 1m and minimum 2 per track
- *Optional: twin suspensions to combine 2 tracks*




- Power feed left or right
- Left or right does not matter if the power feed is used in the middle of the track
- Connection outside: upright fringe on the outside border – if you look from the inside, the left power feed is on the left side and the right power feed is on the right side
- Connection inside: upright fringe on the inside border – if you look from the outside, the left power feed is on the left side and the right power feed is on the right side
- Set of 2
- *Optional: if you want to connect several tracks*

CONFIGURATION WITH 90° CONNECTION | HIGH SUSPENDED

13455609	Track 48V High Profile Surface 1000 White Structure
13455632	Track 48V High Profile Surface 1000 Black Structure
13455709	Track 48V High Profile Surface 2000 White Structure
13455732	Track 48V High Profile Surface 2000 Black Structure
13455741	Track 48V High Profile Surface 2000 Champagne Brushed Anodised
13455782	Track 48V High Profile Surface 2000 Bronze Brushed Anodised
13455809	Track 48V High Profile Surface 3000 White Structure
13455832	Track 48V High Profile Surface 3000 Black Structure
13455841	Track 48V High Profile Surface 3000 Champagne Brushed Anodised
13455882	Track 48V High Profile Surface 3000 Bronze Brushed Anodised
12360709	Track 48V High Suspension Cable Up/Down 4000 White Structure
12360732	Track 48V High Suspension Cable Up/Down 4000 Black Structure
13419809	Track 48V Suspension Hinge White Structure
13419832	Track 48V Suspension Hinge Black Structure
13410809	Track 48V Power Feed Left White Structure
13410832	Track 48V Power Feed Left Black Structure
13410909	Track 48V Power Feed Right White Structure
13410932	Track 48V Power Feed Right Black Structure
12360609	Track 48V High Endplate (2) White Structure
12360632	Track 48V High Endplate (2) Black Structure
12360617	Track 48V High Endplate (2) Champagne Brushed
12360618	Track 48V High Endplate (2) Bronze Brushed
13455909	Track 48V High Connection 90° Electrical/Mechanical Inside White Structure
13455932	Track 48V High Connection 90° Electrical/Mechanical Inside Black Structure
13456009	Track 48V High Connection 90° Electrical/Mechanical Outside White Structure
13456032	Track 48V High Connection 90° Electrical/Mechanical Outside Black Structure
13419709	Track 48V High Connection 180° Electrical/Mechanical White Structure
13419732	Track 48V High Connection 180° Electrical/Mechanical Black Structure
13411509	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 White Structure
13411532	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 Black Structure


1c – configuration with X-connection

HIGH SURFACE PROFILE




+


UP/DOWN
SUSPENSION CABLE



SUSPENSION HINGE




POWER FEED CABLE +
CONNECTION BOX




- Choose track length (1m, 2m or 3m)
- Number of suspensions: every 1m and minimum 2 per track
- *Optional: twin suspensions to combine 2 tracks*


POWER FEED LEFT




POWER FEED RIGHT




X-CONNECTION



ENDPLATE



180° CONNECTION



- Power feed left or right
- Left or right does not matter if the power feed is used in the middle of the track

- Set of 2


- *Optional: if you want to connect several tracks*

CONFIGURATION WITH X-CONNECTION | HIGH SUSPENDED

13455609	Track 48V High Profile Surface 1000 White Structure
13455632	Track 48V High Profile Surface 1000 Black Structure
13455709	Track 48V High Profile Surface 2000 White Structure
13455732	Track 48V High Profile Surface 2000 Black Structure
13455741	Track 48V High Profile Surface 2000 Champagne Brushed Anodised
13455782	Track 48V High Profile Surface 2000 Bronze Brushed Anodised
13455809	Track 48V High Profile Surface 3000 White Structure
13455832	Track 48V High Profile Surface 3000 Black Structure
13455841	Track 48V High Profile Surface 3000 Champagne Brushed Anodised
13455882	Track 48V High Profile Surface 3000 Bronze Brushed Anodised
12360709	Track 48V High Suspension Cable Up/Down 4000 White Structure
12360732	Track 48V High Suspension Cable Up/Down 4000 Black Structure
13419809	Track 48V Suspension Hinge White Structure
13419832	Track 48V Suspension Hinge Black Structure
13410809	Track 48V Power Feed Left White Structure
13410832	Track 48V Power Feed Left Black Structure
13410909	Track 48V Power Feed Right White Structure
13410932	Track 48V Power Feed Right Black Structure
12360609	Track 48V High Endplate (2) White Structure
12360632	Track 48V High Endplate (2) Black Structure
12360617	Track 48V High Endplate (2) Champagne Brushed
12360618	Track 48V High Endplate (2) Bronze Brushed
13455109	Track 48V High Connection X Electrical/Mechanical White Structure
13455132	Track 48V High Connection X Electrical/Mechanical Black Structure
13419709	Track 48V High Connection 180° Electrical/Mechanical White Structure
13419732	Track 48V High Connection 180° Electrical/Mechanical Black Structure
13411509	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 White Structure
13411532	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 Black Structure


1d — configuration with T-connection

HIGH SURFACE PROFILE




+


UP/DOWN
SUSPENSION CABLE



SUSPENSION HINGE




POWER FEED CABLE +
CONNECTION BOX




- Choose track length (1m, 2m or 3m)
- Number of suspensions: every 1m and minimum 2 per track
- *Optional: twin suspensions to combine 2 tracks*


POWER FEED LEFT




POWER FEED RIGHT




T-CONNECTION



ENDPLATE



180° CONNECTION



- Power feed left or right
- Left or right does not matter if the power feed is used in the middle of the track
- Left or right
- Set of 2
- *Optional: if you want to connect several tracks*

CONFIGURATION WITH T-CONNECTION | HIGH SUSPENDED

13455609	Track 48V High Profile Surface 1000 White Structure
13455632	Track 48V High Profile Surface 1000 Black Structure
13455709	Track 48V High Profile Surface 2000 White Structure
13455732	Track 48V High Profile Surface 2000 Black Structure
13455741	Track 48V High Profile Surface 2000 Champagne Brushed Anodised
13455782	Track 48V High Profile Surface 2000 Bronze Brushed Anodised
13455809	Track 48V High Profile Surface 3000 White Structure
13455832	Track 48V High Profile Surface 3000 Black Structure
13455841	Track 48V High Profile Surface 3000 Champagne Brushed Anodised
13455882	Track 48V High Profile Surface 3000 Bronze Brushed Anodised
12360709	Track 48V High Suspension Cable Up/Down 4000 White Structure
12360732	Track 48V High Suspension Cable Up/Down 4000 Black Structure
13419809	Track 48V Suspension Hinge White Structure
13419832	Track 48V Suspension Hinge Black Structure
13410809	Track 48V Power Feed Left White Structure
13410832	Track 48V Power Feed Left Black Structure
13410909	Track 48V Power Feed Right White Structure
13410932	Track 48V Power Feed Right Black Structure
12360609	Track 48V High Endplate (2) White Structure
12360632	Track 48V High Endplate (2) Black Structure
12360617	Track 48V High Endplate (2) Champagne Brushed
12360618	Track 48V High Endplate (2) Bronze Brushed
13454909	Track 48V High Connection T Electrical/Mechanical Left White Structure
13454932	Track 48V High Connection T Electrical/Mechanical Left Black Structure
13455009	Track 48V High Connection T Electrical/Mechanical Right White Structure
13455009	Track 48V High Connection T Electrical/Mechanical Right Black Structure
13419709	Track 48V High Connection 180° Electrical/Mechanical White Structure
13419732	Track 48V High Connection 180° Electrical/Mechanical Black Structure
13411509	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 White Structure
13411532	Track 48V Connection Housing Surface 2000 Connection and Power Feed Cable 4x1,5 Black Structure