DATE
CUSTOMER
PROJECT
TYPE

MODULAR
LIGHTING INSTRUMENTS




SHELLBY

SHELLBY ALABASTER RECESSED TRIMLESS 176 1X IP55 LED

Shellby's light is the Sun by day, and the Moon by night. Like the Sun, it brings powerful, general light that indisputably brightens your space, and energises you for daily activities. Like the Moon, it watches, with softer light that inspires calm and warmth. A clash of functions, all in one.

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-03, 09:05:55 AM - ©Modular Lighting Instruments


SPECIFICATIONS



Light Source Type	LED		
LED Type	BRIDGELUX V6 HD G7		
LED technology	LED COB		
CRI	Min. 90		
Colour Temperature	2700K / 3000K / 3500K & 4000K on request		
Lifetime	L80B10 @50,000 Hours		
Lamp Included	Yes		
Number of Light Sources	1		
Binning (SDCM)	2		
Light Direction	Down		
Optic	Collimator		
Measured beam angle (°)	108.0		
Input Voltage	Remote Constant Current Driver Required		
Dimming	Remote Phase /1-10V / DALI-2 / Casambi		
Electrical Class	III		
IP Rating	55		
Glow wire rating (°C)	960		
Indoor/Outdoor	Indoor		
Application	Ceiling, Wall		
Mounting	Recessed		
Cut-out size (mm)	ø200		
Mounting depth (mm)	100.0		
Adjustability	Not Applicable		
Distance to Lighted Object (m)	0,1		
Primary Colour & Primary Finish	White Structure, Black Structure, Cast Grey Matt, Cast Black Matt, Cast Bronze Matt, Aluminium Tumbled		
Gross weight (g)	1761.0		
Drive current (mA)	350	500	700
Min. forward voltage (Vf)	14.8	15.2	15.9
Max. forward voltage (Vf)	18.0	18.6	19.5
Connected load (W)	5.7	8.5	12.4
Luminous flux per lamp (lm)	<292	<394	<510
Efficacy (lm/W)	<51	<46	<41
Glare rating	>31	>32	>33


Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-03, 09:05:55 AM - ©Modular Lighting Instruments

DECORATIVE ACCESSORIES




12183041	Skin Shellby Champagne Anodised
12183082	Skin Shellby Bronze Anodised
12183042	Skin Shellby Gold Anodised
12183092	Skin Shellby Pearly White Matt
12183084	Skin Shellby Silver Bronze Anodised

INSTALLATION ACCESSORIES




12182030	Installation Housing 280×350×100×380




12293030	Gypsum Fibreboard 290×280


Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-03, 09:05:55 AM - ©Modular Lighting Instruments




- **12292930** Plaster Kit Trimless 290×280 - 177 1x



- **12182130** Concrete Kit 177 290×280 1x



- **12182230** Ring Recessed Trimless 177 1x



- **12182330** Concrete Ring 177 Standard Installation Housing

- Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-03, 09:05:55 AM - ©Modular Lighting Instruments