DATE
CUSTOMER
PROJECT
TYPE




# SHELLBY

SHELLBY ALABASTER RECESSED TRIMLESS 176 1X IP55 LED 1800-3000K WD DE

Shellby's light is the Sun by day, and the Moon by night. Like the Sun, it brings powerful, general light that indisputably brightens your space, and energises you for daily activities. Like the Moon, it watches, with softer light that inspires calm and warmth. A clash of functions, all in one.

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-08, 11:03:15 PM - ©Modular Lighting Instruments


# SPECIFICATIONS




| | |
|---|---|
| Light Source Type | LED |
| LED Type | BRIDGELUX WARMDIM 12W |
| LED technology | LED COB |
| CRI | Min. 9 |
| Colour Temperaturel | 1800-3000K (Warm Dim) |
| Lifetime | L80B10 @50,000 Hours |
| Lamp Included | Yes |
| Number of Light Sources | 1 |
| CIE flux code | 38 68 89 97 40 |
| Binning (SDCM) | 3 |
| Light Direction | Down |
| Optic | Collimator |
| Measured beam angle (°) | 133.0 |
| Input Voltage | Constant Current Driver Required |
| Control | Phase, 1-10V, DALI-2, Casambi |
| Electrical Class | III |
| IP Rating | 55 |
| Glow wire rating (°C) | 960 |
| Indoor/Outdoor | Indoor |
| Application | Ceiling, Wall |
| Mounting | Recessed |
| Cut-out size (mm) | ø200 |
| Mounting depth (mm) | 100.0 |
| Adjustability | Not Applicable |
| Distance to Lighted Object (m) | 0,1 |
| Primary Colour & Primary Finish | White Structure, Black Structure, Cast Grey Matt, Cast Black Matt, Cast Bronze Matt, Cast Alu Tumbled |
| Gross weight (g) | 1761.0 |
| Drive current (mA) | 350 |
| Min. forward voltage (Vf) | 30.6 |
| Max. forward voltage (Vf) | 37.0 |
| Connected load (W) | 12.0 |
| Luminous flux per lamp (lm) | <386 |
| Efficacy (lm/W) | <32 |
| Glare rating | <32 |


Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-08, 11:03:15 PM - ©Modular Lighting Instruments

## DECORATIVE ACCESSORIES





| | |
|---|---|
| 12183041 | Skin Shellby Champagne Anodised |
| 12183082 | Skin Shellby Bronze Anodised |
| 12183042 | Skin Shellby Gold Anodised |
| 12183092 | Skin Shellby Pearly White Matt |
| 12183084 | Skin Shellby Silver Bronze Anodised |

## INSTALLATION ACCESSORIES





| | |
|---|---|
| 12182030 | Installation Housing 280x350x100x380 |





| | |
|---|---|
| 12293030 | Gypsum Fibreboard 290x280 |


Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-08, 11:03:15 PM - ©Modular Lighting Instruments





- 12292930 Plaster Kit Trimless 290x280 - 177 1x




- 12182130 Concrete Kit 177 290x280 1x




- 12182230 Ring Recessed Trimless 177 1x




- 12182330 Concrete Ring 177 Standard Installation Housing

- Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly. Latest datasheet and documentation available on www.supermodular.com - 2026-11-08, 11:03:15 PM - ©Modular Lighting Instruments